

Korg MS2000B / MS2000BR

Руководство пользователя.

Дополнение.

Аналоговый моделирующий синтезатор

Официальный и эксклюзивный дистрибьютор компании Korg на территории России, стран Балтии и СНГ — компания A&T Trade.

Данное руководство предоставляется бесплатно. Если вы приобрели данный прибор не у официального дистрибьютора фирмы Korg или авторизованного дилера компании A&T Trade, компания A&T Trade не несет ответственности за предоставление бесплатного перевода на русский язык руководства пользователя, а также за осуществление гарантийного сервисного обслуживания.

© ® A&T Trade, Inc.

Гарантийное обслуживание

По всем вопросам, связанным с ремонтом или сервисным обслуживанием аналогового моделирующего синтезатора MS2000B / MS2000BR, обращайтесь к представителям фирмы Korg — компании A&T Trade. Телефон для справок (095) 242-5325.

Введение

Благодарим за приобретение аналогового моделирующего синтезатора MS2000B/BR. Для поддержания прибора в исправном состоянии и его продолжительной бесперебойной работы, внимательно прочитайте данное руководство и следуйте всем инструкциям по эксплуатации.

На лицевой панели MS2000B имеется микрофонный XLR-разъем. Также в комплект поставки входит гибкий микрофон, подключаемый непосредственно к данному разъему, который обеспечивает возможность работы с функциями вокодер.

Кроме этого, MS2000B и MS2000BR содержат ряд новых внутренних программ, по сравнению с оригиналом MS2000/R (см. “Список программ”).

Характеристики и функции прибора аналогичны моделям MS2000 / MS2000R. Обращайтесь к руководству пользователя MS2000 / MS2000R.

KORG

Коммутация микрофона (только MS2000B)

При работе с микрофоном не используйте разъем AUDIO IN 2.

Используйте только прилагаемый к MS2000B микрофон и соответствующий разъем.


При неиспользуемых разъеме AUDIO IN 2 или микрофонном входе закрывайте регулятор AUDIO IN [2/VOICE].

Не прилагайте избыточных усилий к микрофону и не изгибайте постоянно его держатель без необходимости. Это может привести к поломке микрофона и нарушению внутренней коммутации.

Установка микрофона

Обращайтесь к главе “Использование функции вокодера” руководства пользователя MS2000/MS2000R. При подключении микрофона к MS2000B, правильно совмещайте коммутируемые разъемы (винт на держателе микрофона должен быть обращен к тыльной панели MS2000B).


Для установки и снятия микрофона держите его за основание.



Отсоединение микрофона

Нажмите защелку для разблокирования микрофонного разъема и, удерживая микрофон за основание, вытащите его из разъема.

Перед отсоединением микрофона обязательно нажимайте защелку.



Список программ

№	Название	Группа	Режим	SEQ 1	SEQ 2	SEQ 3	ARPEGIATOR
A01	UnisonRingLD	Synth-Lead	Single	Cutoff	Panpot		Off
A02	Flashin' Pad	Seq/Motion	Single	LFO2 Frequency	Cutoff EG1 Intensity	Panpot	Off
A03	X-ModBass	Synth-Bass	Dual	T1 Pitch T2 Cutoff	Cutoff Pitch	Panpot Panpot	Off
A04	IDM Pad	Strings/Pad	Single	LFO2 Frequency	Cutoff	Resonance	Off
A05	HyperForce	Synth-Hard	Single	Pitch	Cutoff		Off
A06	Pan Tran	Synth-Soft	Single	Panpot			Off
A07	Razor Blade	Seq/Motion	Single	Osc2 Semitone	Cutoff	Level	Random
A08	DetuneBass	Synth-Bass	Single	Pitch	Cutoff	Panpot	Off
A09	High Voltage	Synth-Lead	Dual	T1 Osc2 Semitone T2 Osc2 Semitone	Cutoff Cutoff		Off
A10	AnalogBell	Percussive/Bell	Single	Patch 3 Intensity	EG2 Release Time	Patch 4 Intensity	Alt1
A11	FonkaDeli	Keyboards	Single	Cutoff	EG2 Release Time	Osc1 Control2	Off
A12	AutoTrance	Seq/Motion	Dual	T1 Pitch T2 Osc2 Semitone	Cutoff EG1 Intensity Pitch	Level	Trigger
A13	4OSC™m7"	Synth-Hard	Dual	T1 Pitch T2 Pitch	EG2 Sustain Level EG2 Sustain Level	Cutoff Cutoff	Off
A14	Digy Bass	Synth-Bass	Single	Pitch	Cutoff		Off
A15	Domin8or	S.E/Drum	Single	Patch 1 Intensity			Off
A16	FilterString	Strings/Pad	Single	Cutoff	Osc2 Tune		Off
B01	70'sFunkLead	Synth-Lead	Single	Cutoff	Pitch	Panpot	Off
B02	SawSaw	Seq/Motion	Single	Osc2 Semitone	Resonance	Cutoff EG1 Intensity	Off
B03	House Bass	Synth-Bass	Single	EG1 Attack Time	EG2 Release Time	Cutoff EG1 Intensity	Off
B04	Stairs Pad	Strings/Pad	Dual	T1 Panpot T2	Cutoff EG1 Intensity	Step Length	Alt1
B05	Poly Line	Synth-Hard	Single	Cutoff	Resonance		Off
B06	Ice Field	Synth-Soft	Single	EG2 Attack Time	Noise Level		Off
B07	Fairies	Seq/Motion	Single	Osc1 Control2	Cutoff	Level	Alt1
B08	Line Bass	Synth-Bass	Single	Pitch	Level	Patch 2 Intensity	Off
B09	ModLead	Synth-Lead	Single	Osc2 Semitone	Panpot	Cutoff	Off
B10	RingPerc	Percussive/Bell	Dual	T1 Osc1 Control2 T2 Resonance	Cutoff		Up
B11	Reed Piano	Keyboards	Single	Patch 1 Intensity			Off
B12	Filter Muzik	Seq/Motion	Dual	T1 Pitch T2 Noise Level	Osc2 Semitone Cutoff	Pitch	Off
B13	RingChord	Synth-Hard	Single	Osc1 Control2	Panpot	Cutoff	Off
B14	Warp Bass	Synth-Bass	Single	Resonance	Osc2 Level	EG1 Attack Time	Off
B15	KillaBeez	S.E/Drum	Single	Noise Level	Resonance	Cutoff	Off
B16	Evolution	Strings/Pad	Single	LFO1 Frequency	Patch 4 Intensity	EG2 Release Time	Off
C01	TriangleLead	Synth-Lead	Single	Pitch	Panpot	Cutoff	Off
C02	GatedSyncBas	Synth-Bass	Single	Osc2 Semitone	Panpot		Off
C03	Bass Machine	Synth-Bass	Single	Pitch	Panpot	Cutoff	Off
C04	Snowdance	Strings/Pad	Dual	T1 Osc1 Control2 T2 Cutoff	Level EG2 Attack Time	Cutoff Level	Random
C05	Stab Saw	Synth-Hard	Single	Osc2 Tune	Pitch	Panpot	Off
C06	Wheeler Pad	Strings/Pad	Single	Cutoff	Resonance	Level	Off
C07	SynthHarp	Seq/Motion	Single	Cutoff	Patch 1 Intensity	Panpot	Up
C08	AcidRingBass	Synth-Bass	Single	Pitch	Cutoff	Panpot	Off
C09	Dirty Sync	Synth-Lead	Single	Osc2 Semitone	Panpot	Pitch	Off
C10	ElektricArpe	Percussive/Bell	Single	EG2 Decay Time	EG2 Release Time	Osc1 Control1	Random
C11	RockOrgan	Keyboards	Single	Panpot	Cutoff		Off
C12	Ready 2 Air	Seq/Motion	Dual	T1 Cutoff T2 Pitch	Resonance Level	Noise Level Osc1 Control2	Off
C13	Sweep™min"	Synth-Hard	Single	Pitch	Level	Cutoff	Off
C14	TechRingBass	Synth-Bass	Single	Patch 2 Intensity	LFO2 Frequency	Pitch	Off
C15	Echo Park	S.E/Drum	Single	Level	Pitch		Off
C16	PWM Strings	Strings/Pad	Single	Resonance	Cutoff	Cutoff EG1 Intensity	Off
D01	Uni Synth	Synth-Lead	Dual	T1 Step Length T2 Step Length	Panpot Panpot	Osc2 Semitone Osc2 Semitone	Off
D02	Electrick	Seq/Motion	Single	Cutoff EG1 Intensity	Level	Panpot	Trigger
D03	Zap Bass	Synth-Bass	Single	Pitch	Panpot	Osc1 Control1	Off
D04	Reactor Pad	Strings/Pad	Single	Step Length	Panpot		Off
D05	TheMehT	Synth-Hard	Single	Osc2 Semitone	Cutoff	Osc1 Control2	Off
D06	Astral Vox	Synth-Soft	Single	Osc1 Control2	Cutoff EG1 Intensity	Level	Off
D07	Water Edge	Seq/Motion	Dual	T1 Noise Level T2 Pitch			Alt2
D08	Phunk Bass	Synth-Bass	Single	Pitch	Panpot	Cutoff	Off
D09	Ana Fuzz	Synth-Lead	Single	Cutoff EG1 Intensity	Cutoff	Level	Off
D10	Deep Bell	Percussive/Bell	Single	Patch 1 Intensity			Off
D11	PhaserClav	Keyboards	Single	Level	Panpot	Cutoff	Off
D12	Trip Planet	Seq/Motion	Dual	T1 Level T2 EG2 Decay Time	Osc1 Level Level	Osc2 Semitone Pitch	Up
D13	Glass	Synth-Hard	Single	Pitch			Off
D14	ReverseBass	Synth-Bass	Single	Pitch	Panpot	Cutoff	Off
D15	Diginator	S.E/Drum	Dual	T1 Panpot T2 Pitch			Off
D16	Ana Strings	Strings/Pad	Single	Resonance	Cutoff	Patch 3 Intensity	Off

№	Название	Группа	Режим	SEQ 1	SEQ 2	SEQ 3	ARPEGGIATOR
E01	Rez Lead	Synth-Lead	Single	Osc2 Level	EG1 Attack Time		Off
E02	DWGS WaveSeq	Seq/Motion	Single	Osc1 Control2	Panpot		Off
E03	AcidSawBass	Synth-Bass	Single	Cutoff EG1 Intensity	Level	Panpot	Off
E04	TickerPad	Strings/Pad	Dual	T1	EG1 Decay Time	EG2 Sustain Level	Osc1 Control2
				T2	Osc1 Control2	Cutoff	
E05	Slippy Pad	Synth-Hard	Single	Pitch	Cutoff	Panpot	Off
E06	Synth Brass	Synth-Soft	Single	Osc2 Semitone	Panpot	Cutoff	Off
E07	S&H Signal	Seq/Motion	Single	Panpot	LFO2 Frequency	Pitch	Up
E08	Magnum Bass	Synth-Bass	Single	Pitch	Patch 3 Intensity	Cutoff	Off
E09	Freq Lead	Synth-Lead	Single	Patch 1 Intensity			Off
E10	BleepsPerc	Percussive/Bell	Single	Noise Level	Cutoff	Pitch	Random
E11	Brett Ped	Keyboards	Single	Osc1 Control2	Cutoff	EG2 Sustain Level	Off
E12	Auto Disco	Seq/Motion	Dual	T1	Pitch		Up
				T2	Cutoff	Noise Level	
E13	NoisyHit	Synth-Hard	Dual	T1	EG1 Decay Time		Off
				T2	Cutoff	Resonance	
E14	RingSyncBass	Synth-Bass	Single	Pitch	Cutoff	Panpot	Off
E15	Stutter	S.E/Drum	Single	Patch 4 Intensity	LFO2 Frequency	Patch 2 Intensity	Off
E16	StringMachin	Strings/Pad	Single	Cutoff	EG2 Release Time	Patch 1 Intensity	Off
F01	Far Horizon	Synth-Lead	Dual	T1	Osc2 Level	Osc2 Tune	Cutoff
				T2	Osc2 Level	Osc2 Tune	
F02	Burnin'Rave	Seq/Motion	Dual	T1	Cutoff		Trigger
				T2	Panpot		
F03	Sub Bass	Synth-Bass	Single	Pitch	Cutoff	Osc1 Control1	Off
F04	Stream Pad	Strings/Pad	Single	Step Length	Level	EG2 Attack Time	Off
F05	Square Comp	Synth-Hard	Single	Cutoff EG1 Intensity	EG1 Attack Time	Cutoff	Off
F06	Organ Bass	Synth-Bass	Single	Pitch	Cutoff	Panpot	Off
F07	Tap Lead	Seq/Motion	Dual	T1	Cutoff	Osc2 Semitone	Up
				T2	Pitch	Cutoff	
F08	Banana Bass	Synth-Bass	Dual	T1	Pitch	Cutoff	Panpot
				T2	Pitch	Cutoff	
F09	UnisonSqrLd	Synth-Lead	Single	Pitch	Panpot	Cutoff	Off
F10	Bound Ball	Percussive/Bell	Single	Osc1 Control1	Panpot	Patch 2 Intensity	Off
F11	Lounge Organ	Keyboards	Single	Panpot	Cutoff		Off
F12	Zoop Mania	Seq/Motion	Dual	T1	Patch 4 Intensity	EG2 Decay Time	Pitch
				T2	Osc2 Level	Osc1 Control1	
F13	"M3rd"Chord	Synth-Hard	Dual	T1			Off
				T2	Osc2 Semitone		
F14	Jami Bass	Synth-Bass	Single	Osc2 Level	Cutoff	Resonance	Off
F15	Bad Dream	S.E/Drum	Single	LFO1 Frequency	Cutoff	Panpot	Off
F16	Need4Speed	Seq/Motion	Single	Pitch	Cutoff EG1 Intensity		Trigger
G01	Turn Wheel	Synth-Lead	Single	Osc2 Level	Osc1 Control1	LFO1 Frequency	Off
G02	Trip 2 Ibiza	Seq/Motion	Single	Cutoff			Off
G03	80's Bass	Synth-Bass	Single	Pitch	Cutoff	Noise Level	Off
G04	Motion Pad	Strings/Pad	Single	Patch 1 Intensity	Patch 2 Intensity		Off
G05	Golden Synth	Synth-Hard	Single	Osc2 Tune			Off
G06	NuSkoolDrop	Synth-Bass	Single	Patch 1 Intensity	Osc1 Control1		Off
G07	Synth Lana	Seq/Motion	Single	Panpot	Pitch	Step Length	Up
G08	MG Bass	Synth-Bass	Single	Pitch	Cutoff	Panpot	Off
G09	Bass&5thLead	Split Prog	Split	T1	Pitch	Patch 3 Intensity	Cutoff
				T2	Panpot	Cutoff	
G10	ElectroShock	Percussive/Bell	Dual	T1	Pitch	Cutoff	Up
				T2	Cutoff		
G11	Pulse Comp	Keyboards	Single	Panpot	Level	Osc2 Level	Off
G12	Snow&Ice	Split Prog	Split	T1	Osc1 Control2	Osc1 Control1	Off
				T2	Osc2 Semitone		
G13	Century Stab	Synth-Hard	Single	Patch 1 Intensity	Cutoff EG1 Intensity	EG1 Decay Time	Off
G14	Drive Bass	Synth-Bass	Single	Resonance	EG2 Release Time		Off
G15	DooM	S.E/Drum	Single	Pitch	Cutoff	Osc2 Semitone	Off
G16	stROBOsCOPe	Split Prog	Split	T1	Pitch	Cutoff	Cutoff EG1 Intensity
				T2	Osc2 Semitone	Cutoff	
H01	CleanVocoder	Vocoder Prog	Vocoder				Off
H02	WispaVocoder	Vocoder Prog	Vocoder				Off
H03	DarkVocoder	Vocoder Prog	Vocoder				Off
H04	Vocoder Ens	Vocoder Prog	Vocoder				Off
H05	Vocoder Cho	Vocoder Prog	Vocoder				Off
H06	Vocoder 5th	Vocoder Prog	Vocoder				Off
H07	Bass Vocoder	Vocoder Prog	Vocoder				Off
H08	VoiceChanger	Vocoder Prog	Vocoder				Off
H09	VocoderPulse	Vocoder Prog	Vocoder				Off
H10	Vocoder Squ	Vocoder Prog	Vocoder				Off
H11	Vocoder Wah	Vocoder Prog	Vocoder				Off
H12	Vocoder Vox	Vocoder Prog	Vocoder				Off
H13	Vocoder DWGS	Vocoder Prog	Vocoder				Off
H14	Vocodevil	Vocoder Prog	Vocoder				Off
H15	Audioln INIT	Audioln	Single				Trigger
H16	INIT Program	Init Prog	Single				Off